


# ASIA UNIQUE LED LIGHTING CO., LTD

## **LED Back-lit Panel Light**

AU02-PL Series



































 Web.: www.ledofchina.com
 Tel.: +86-0755-27436304
 Fax: +86-0755-28435889

Address.: 6th Floor, No.2 East Area, Shangxue Ind. Park, Bantian, Longgang District, Shenzhen China

#### **General Features:**



- High efficiency LED chips, >80Ra,100-110lm/w
- Back-lit light, no dark area,no yellowing, uniform lighting
- Ultra-thin slim design,35mm thickness
- High Quality Aluminum frame, high transmittance diffuser
- Low maintenance cost, Light shell
- SAA CE approved reliable driver
- Triac Dimming,1-10V Dimming & Dali Dimming available if require
- Can be Surface Mount/Recessed Mount/Pendant Mount
- 3 years warranty

### **Technical Specifications**

Model N	lo.	AU02-PL3030 -10W	AU02-PL6030 -12W	AU02-PL6030 -18W	AU02-PL6060 -25W	AU02-PL6060 -30W	AU02-PL6060 -40W	AU02-PL12030 -25W	AU02-PL12030 -30W	AU02-PL12030 -40W	AU02-PL12060 -60W
Dimension(mm)		295*295*35	595*295*35	595*295*35	595*595*35	595*595*35	595*595*35	1195*295*35	1195*295*35	1195*295*35	1195*595*35
Wattage(w)		10W	12W	18W	25W	30W	40W	25W	30W	40W	60W
Input Voltage(v)		AC200~240V									
Light Source		SMD2835									
CCT(K)		2700K/3000K/4000K/5000K/5700K/6500K									
Lumen (lm)±5%		1000	1200	1800	2750	3300	4400	2750	3300	4400	6600
CRI		>80Ra									
Beam Angle(°)		120°									
Driver option		Non dimming / Triac Dimming / 1-10v dimming/ Dali dimming									
Protection Class		Class II									
IP Rating		IP20									
Material	Frame	Aluminum									
Material	Diffuser	PS									
Base		Iron									
Trim Colour		White/Silver									
L70		>54000Hrs									
Operation Temp.(℃)		-20~ 45°C									
Installation		Recessed/Pendant/Surface Mount									
Certificates		CE, Rohs, SAA & C-tick									
Warranty		3 Years									


 Web.: www.ledofchina.com
 Tel.: +86-0755-27436304
 Fax: +86-0755-28435889

Address.: 6th Floor, No.2 East Area, Shangxue Ind. Park, Bantian, Longgang District, Shenzhen China


## Installation Instruction

### **LED Panel Light Installation Instruction**

1.suspending



1.A.Fix the anchor into target place on the ceiling B.Fix the installation mount on the ceiling with plastic anchor




2. Hang the panel to ceiling with suspended installation kits




3. Adjust the length of steel wire. Connect the power supply


2.recessed into ceiling



1.remove ceiling plaster slab




3.fix the panel light into right place



4.stabilize the panel


3.surface mount



1.fix the bracket of panel light on the ceiling



2.install hanging fixtures on the panel light



3.install the led panel light on the bracket



4.connect the power cord and then it can be used