






A-UNIQUE

ASIA UNIQUE LED LIGHTING CO., LTD

LED High Bay

AU05-HB Series





General Features:

- * Hollow heat sink design increase more airflow for better heat dissipation.
- * High Luminous efficiency 140lm/w or 190lm/w.
- * Lifud / Sosen / Meanwell Brand driver, reliable quality.
- * Waterproof IP65 design, suitable to damp & wet location.
- * Three dimensions. Lighter weight and smaller volume can help customer save freight cost.
- * Different installations: Hook / Suspension / Surface Mount
- * LM80/IES reports available.
- * SM C-tick CE RoHS certifications.
- * 5 years warranty.

Technical Specifications

Model No.	AU05-HB70W-V3	AU05-HB90W-V3	AU05-HB110W-V3	AU05-HB140W-V3	AU05-HB200W-V3	AU05-HB240W-V3
Dimension(mm)	Ø280*172	Ø280*172	Ø280*172	Ø340*178	Ø400*138	Ø400*138
Cutout(mm)	/	/	/	/	/	/
Wattage(w)	70W	90W	110W	140W	200W	240W
Input Voltage(v)	AC220~240V					
Light Source	SMD2835					
SDCM	<6					
CCT(K)	3000K/4000K/5000K/5700K/6500K					
Luminous Flux (lm)±5%	9800 or 13300	12600 or 17100	15400 or 20900	19600 or 26600	28000 or 38000	33600 or 45600
CRI	>70Ra					
Beam Angle(°)	120°					
driver	Non-dimming/ 1-10V Dimming					
Sensor option	Available if required					
Protection Class	Class I					
Degree of protection(IP)	IP65					
Material	Heatsink	Aluminum				
	Cover	Glass				
L70	>54000Hrs					
Glow Wire Test(°C)	650°C					
Operation Temp.(°C)	-20~ 45°C					
Installation	Suspend Mount/ Surface Mount					
Certificates	CE, Rohs, SAA & C-tick					
Warranty	5 Years					

Packing information



Model Number	Weight/Luminaire (kg)	QTY/BOX (pcs)	Inner Box Size (mm)	Weight/Box (kg)	QTY/CTN (pcs)	Carton Size (cm)	Weight/CTN (kg)	QTY/20GP (PCS)	QTY/40GP (PCS)	QTY/40HP (PCS)
AU05-HB70W-V3	2.6	/	/	/	1	30x30x14.5CM	3.0	2074	4296	5037
AU05-HB90W-V3	2.6	/	/	/	1	30x30x14.5CM	3.0	2074	4296	5037
AU05-HB110W-V3	2.6	/	/	/	1	30x30x14.5CM	3.0	2074	4296	5037
AU05-HB140W-V3	3.4	/	/	/	1	35.5x35.5x15CM	3.8	1166	2416	2833
AU05-HB200W-V3	4.7	/	/	/	1	40.5x40.5x15CM	5.2	1110	2300	2696
AU05-HB240W-V3	4.7	/	/	/	1	40.5x40.5x15CM	5.2	1110	2300	2696

Installation Method

Warning:

- This product must be installed by a licensed electrician
- Check whether the product has been damaged during transport. Do not operate/install product which appears damage
- Verify the supply voltage is the same as rated luminaire voltage
- Disconnect or turn off the power before installation




Suspend Mount with hook:





Packing List:

High bay	1piece
Hook	1piece




Suspend Mount with chain:



Suspend Mount with conduit:



Surface Mount with bracket:



Applications:

- Workshop
- Warehouse
- Shopping mall
- Exhibition hall
- Fitness venues
- Indoor stadium