





A-UNIQUE

# ASIA UNIQUE LED LIGHTING CO., LTD

## UFO LED HIGH BAY LIGHT

AU02-HB  
Series





## General Features:

- \* Hollow heat sink design increase more airflow for better heat dissipation.
- \* High Luminous efficiency SMD2835 LED Chips, 200lm/w.
- \* Reliable quality driver.
- \* Waterproof IP65 design, suitable to damp & wet location.
- \* LM80/IES reports available.
- \* SAA C-tick CE RoHS certifications.
- \* 5 years warranty.

## Technical Specifications




Model No.	AU02-HB100W	AU02-HB150W	AU02-HB200W	AU02-HB240W
Dimension(mm)	Ø366*223	Ø366*223	Ø366*223	Ø366*223
Cutout(mm)	/	/	/	/
Wattage(w)	100W	150W	200W	240W
Input Voltage(v)	AC100~240V			
Light Source	SMD2835			
SDCM	<6			
CCT(K)	3000K/4000K/5000K/5700K/6500K			
Luminous Flux (lm)±5%	12000~13000	18000~19500	24000~26000	28800~31200
CRI	>70Ra			
Beam Angle(°)	120°			
driver	Meanwell / Lifud / Sosen, Non-dim			
Sensor option	Available			
Protection Class	Class I			
Degree of protection(IP)	IP65			
Material	Heatsink	Aluminum		
	Cover	Glass		
L70	>54000Hrs			
Glow Wire Test(°C)	650°C			
Operation Temp.(°C)	-20~ 45°C			
Installation	Suspended			
Certificates	CE, Rohs, SAA & C-tick			
Warranty	5 Years			

## Packing information




Model Number	Weight/Luminaire (kg)	QTY/BOX (pcs)	Inner Box Size (mm)	Weight/Box (kg)	QTY/CTN (pcs)	Carton Size (cm)	Weight/CTN (kg)	QTY/20GP (PCS)	QTY/40GP (PCS)	QTY/40HP (PCS)
AU02-HB100W	5.5	/	/	/	1	38*22*43CM	5.8	750	1530	1872
AU02-HB150W	5.5	/	/	/	1	38*22*43CM	5.8	750	1530	1872
AU02-HB200W	5.5	/	/	/	1	38*22*43CM	5.8	750	1530	1872
AU02-HB240W	5.5	/	/	/	1	38*22*43CM	5.8	750	1530	1872

# Installation Instructions

## Hook Mounting



## Surface Mounting



## Warning:

- This product must be installed by a licensed electrician
- Check whether the product has been damaged during transport. Do not operate/install product which appears damaged
- Verify the supply voltage is the same as rated luminaire voltage
- Disconnect or turn off the power before installation
- Installation must adhere to local and national wiring rules

### Packing List:

High bay	1piece
Hook	1piece

## Application:

